

DOOR SCHEDULE

NO.	DOOR				FRAME			TYPE	THOLD	HWARE	DETAIL	UNDERCUT	DOOR SIGN	
	SIZE	MATL.	GLASS	FIRE RATING	TYPE	MATL.	NAME/NUMBER						ALL SIGNAGE SHALL BE WALL MOUNTED OR ATTACHED TO THE DOOR	
EXTERIOR DOORS														
O1	3'-0" x 7'-0"	1-3/4"	H.M.	C	G-2	EF5	H.M.		T-6	2	13/A24			
O2	3'-0" x 7'-0"	1-3/4"	H.M.	C	G-2	EF5	H.M.		T-6	1	13/A24			
O3	2'3"-0" x 7'-0"	1-3/4"	H.M.	B	G-2	EF2	H.M.		T-1	3	13/A24			
O4	3'-0" x 7'-0"	1-3/4"	ALLUM.	G	G-1	A5	ALLUM.		T-1	1A	13/A24			
O5	3'-0" x 7'-0"	1-3/4"	H.M.	B	G-2	EF1	H.M.		T-1	1	13/A24			
O6	2'2"-6" x 7'-0"	1-3/4"	H.M.	A		EF3	H.M.		T-1	4	14/A24	B BOILER ROOM *		
O7	3'-4" x 7'-0"	1-3/4"	H.M.	B	G-2	EF1	H.M.		T-6	5	13/A24			
O8	3'-0" x 7'-0"	1-3/4"	H.M.	A		EF1	H.M.		T-1	6	13/A24	B CAN WASH *		
O9	3'-4" x 7'-0"	1-3/4"	H.M.	A		EF1	H.M.		T-1	7	13/A24			
O10	2'3"-0" x 7'-0"	1-3/4"	H.M.	B	G-2	EF2	H.M.		T-7	3	14/A24			
O11	2'3"-0" x 7'-0"	1-3/4"	H.M.	B	G-2	EF2	H.M.		T-1	3	13/A24			
O12	3'-0" x 7'-0"	1-3/4"	ALLUM.	G	G-1	A5	ALLUM.		T-1	1A	13/A24			
O13	2'3"-0" x 7'-0"	1-3/4"	H.M.	B	G-2	EF2	H.M.		T-1	3	13/A24			
INTERIOR DOORS														
I02A	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.		T-5	8	7/A24	K RECEPTION	
I02B	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-2		IF1	H.M.			9	11/A24	A RECEPTION	
I03	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.		T-4	8	7/A24	K CORRIDOR	
I05	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-2		IF1	H.M.			10	11/A24	B SIMS	
I06	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F			IF1	H.M.			11	11/A24	A PRINCIPAL	
I07	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-2		IF1	H.M.			11	11/A24	B CONFERENCE	
I08	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-2		IF1	H.M.			11	11/A24	B GUIDANCE	
I09	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-2		IF1	H.M.			11	11/A24	B OFFICE	
I10	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-2		IF1	H.M.			11	11/A24	B OFFICE	
I11	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F			IF1	H.M.		T-4	12	7/A24	E STAFF TOILET	
I12	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	E	G-2		IF1	H.M.		T-4	11	11/A24	B HEALTH	
I13	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F			IF1	H.M.			13	7/A24	F TOILET	
I14	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-2		IF1	H.M.		T-4	10	11/A24	B WORKROOM	
I15	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			9	7/A24	B RESOURCE	
I16	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			11	7/A24	A SCIENCE	
I17	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-2		IF1	H.M.			10	7/A24	B PREP ROOM	
I18	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			11	7/A24	A CLASSROOM	
I19	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			11	7/A24	A CLASSROOM	
I20	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			11	7/A24	A CLASSROOM	
I21	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			11	7/A24	A CLASSROOM	
I22	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			11	7/A24	A CLASSROOM	
I23A	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			9	7/A24	A COMPUTER LAB	
I23B	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-2		IF1	H.M.		T-4	11	11/A24		
I24	2'3"-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.		T-4	14	7/A24	A MEDIA CENTER	
I25	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-2		IF1	H.M.		T-4	11	11/A24	B WORKROOM	
I26	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F			IF1	H.M.			10	11/A24	B MDF	
I27	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-2		IF1	H.M.			11	11/A24	B STUDENT PROD.	
I28A	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F		20M	IF1	H.M.			8	7/A24	B A/V STORAGE	
I28B	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F			IF1	H.M.			10	11/A24	B A/V STORAGE	
I29	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F		20M	IF1	H.M.			8	7/A24	B BOOK STORAGE	
I30A	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.		T-3	11	7/A24	B RESOURCE	
I30B	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	A		3HR	IF1	H.M.			16	7/A24	A CLASSROOM	
I31	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			15	7/A24	B TEACHER TEAM RM.	
I32	NOT USED													
I33	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			9	7/A24	A PREVOCATIONAL	
I34	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F			IF1	H.M.			9	7/A24	B STORAGE	
I35	2'2"-6" x 6'-8"	1-3/4"	S.C.W.D.	F		20M	IF4	H.M.			17	7/A24	B MECHANICAL *	
INTERIOR DOORS														
I201	2'3"-6" x 6'-8"	1-3/4"	H.M.	A		3HR	IF2	H.M.			18	7/A24	J CORRIDOR	
I202	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			11	7/A24	A SCIENCE ROOM	
I203	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			11	7/A24	A SCIENCE ROOM	
I204	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			11	7/A24	A CLASSROOM	
I205	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			11	7/A24	A CLASSROOM	
I206	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			11	7/A24	A CLASSROOM	
I207	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			11	7/A24	A CLASSROOM	
I208	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			11	7/A24	A CLASSROOM	
I209	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			11	7/A24	A CLASSROOM	
I210	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-2		IF1	H.M.			10	7/A24	B PREP ROOM	
I211	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-2		IF1	H.M.			10	7/A24	B PREP ROOM	
INTERIOR DOORS														
I301	2'3"-6" x 6'-8"	1-3/4"	H.M.	A		3HR	IF2	H.M.			19	7/A24	J CORRIDOR	
I302	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F		20M	IF1	H.M.			20	7/A24	G STAFF TOILET	
I303	NOT USED												C BOYS	
I304	NOT USED												D GIRLS	
I305	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F		20M	IF1	H.M.			20	7/A24	H STAFF TOILET	
I306	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F		20M	IF1	H.M.			21	7/A24	B CUSTODIAN	
I307	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F		20M	IF1	H.M.		T-3	8	7/A24	B STORAGE	
I308	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.			22	7/A24	A MUSIC/ART	
I309	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F			IF1	H.M.			10	7/A24	B STORAGE	
I310	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F			IF1	H.M.			10	7/A24	B STORAGE	

DOOR SCHEDULE

NO.	DOOR				FRAME			TYPE	THOLD	HWARE	DETAIL	UNDERCUT	DOOR SIGN	
	SIZE	MATL.	GLASS	FIRE RATING	TYPE	MATL.	NAME/NUMBER						ALL SIGNAGE WALL MOUNTED OR ATTACHED TO DOOR	
311	2'3"-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF1	H.M.		T-7	23	7/A24	B GYMNASIUM	
312	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F			IF1	H.M.		T-7	10	7/A24	B DRESSING	
313A	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF3	H.M.			24	7/A24	B CORRIDOR	
313B	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-3	20M	IF3	H.M.			24	7/A24	B CORRIDOR	
314	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-2		IF1	H.M.			9	7/A24	B PLATFORM	
315	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F			IF1	H.M.		T-7	9	7/A24	B DRESSING	
316	NOT USED													
317A	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F			IF1	H.M.		T-2	25	7/A24	B KITCHEN	
317B	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F			IF1	H.M.		T-2	25	7/A24	B KITCHEN	
318	NOT USED													
319	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	D	G-2		IF1	H.M.			9	7/A24	B OFFICE	
320	NOT USED													
321	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F			IF1	H.M.			9	7/A24	B CUSTODIAN	
322	NOT USED													
323	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F			IF1	H.M.			12	7/A24	B TOILET	
324	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F			IF1	H.M.		T-2	26	7/A24	B DRY STORAGE	
326	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F			IF1	H.M.		T-7	9	7/A24	B P.E. STORAGE	
329	3'-0" x 6'-8"	1-3/4"	S.C.W.D.	F		20M	IF1	H.M.		T-3	8	7/A24	B STORAGE	

GENERAL NOTES

- SMOKE DETECTORS AND ELECTRIC HOLD OPEN DEVICES WILL BE SUPPLIED AND INSTALLED BY ELECTRICAL CONTRACTOR.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR COORDINATING DOORS, DOOR FRAMES AND HARDWARE.
- HARDWARE SUPPLIER IS RESPONSIBLE FOR BUILDING CODE, FIRE RATED DOOR REQUIREMENTS.
- ALL FIRE RATED DOORS SHALL HAVE APPLIED LULL LABEL ON HINGE STYLE.
- PROVIDE SOUND SEALS AT SPEECH ROOMS AND AT ALL MECHANICAL ROOMS.
- GENERAL CONTRACTOR IS RESPONSIBLE TO COORDINATE LOUVERS PROVIDED BY THE HVAC CONTRACTOR.
- VERIFY ALL ROOM NAMES AND NUMBERS WITH ARCHITECT / OWNER.
- ALL FIRE RATED DOORS AND WALLS WILL COMPLY WITH NORTH CAROLINA BUILDING CODE PARAGRAPH 702.16 BY HAVING STENCILS ON WALLS AND DOORS LOCATED AS DIRECTED BY THE ARCHITECT.
- DOOR FRAME SIZES TO BE VERIFIED WITH WALL THICKNESS ON THE JOB BY G.C.
- PRIOR TO SHOP DRAWING APPROVAL, G.C. SHALL FIELD VERIFY ALL EXISTING FRAME CONDITIONS AND DIMENSIONS WHERE EXISTING DOORS ARE BEING REPLACED WITH NEW DOORS.

DOOR SIGNAGE

SIGN SCHED.

SIGN TYPE:	A	B	C-K	NOTES:
QUANTITY:	RECD. NUMB'S 55 R OR EQUAL	RECD. NUMB'S 55 R OR EQUAL	RECD. NUMB'S 55 R OR EQUAL	SEE DOOR SCHED SIGNAGE INDUSTRIES OR EQUAL
HEIGHT:	3'	2'	SEE E.L.V.S.	
WIDTH:	AS RECD.	AS RECD.	SEE E.L.V.S.	
DEPTH:	3/8"	1/2"	1/2"	
BACKGRD. COLOR:	PEARL GRAY	PEARL GRAY	PEARL GRAY	
LETTER STYLE:	HELV.	HELV.	HELV.	
LETTER SIZE:	3/4"	3/4"	SEE E.L.V.S.	
LETTER COLOR:	BONNIE BLUE	BONNIE BLUE	BONNIE BLUE	
SYMBOL COLOR:	BONNIE BLUE	BONNIE BLUE	BONNIE BLUE	
COPY TO BE SET:				
UPPER CASE	□	□	□	